



PRESS-ON

TRELLEBORG

DESIGNED TO PERFORM MADE TO EXCEL

PERFORMANCE DEFINED



TIRE LIFE

Trelleborg products guarantee **the best wear** performance in the industry.

This results in longer tire life, **additional hours of usage**, reduced downtime and lower maintenance costs.



ENERGY SAVING

Trelleborg is the **largest approved tire manufacturer to the OEMs**. We work closely with them to ensure we meet the requirements of energy consumption.

This results in **reduced fuel costs** for our customers.



STABILITY

Trelleborg products are designed to have **large footprints** giving a maximum contact area leading to better stability and even tire wear.



COMFORT

Trelleborg understands the requirements of a **safe working environment**. Our products are designed to reduce vibration and **keep noise to a minimum level**. We follow the strictest regulations for work safety while providing a comfortable ride.

PERFORMANCE AGAINST PREMIUM COMPETITOR

TIRE LIFE



ENERGY SAVING



STABILITY



COMFORT




TRELLEBORG PRESS-ON

Trelleborg Press-On tires are the total solution for all your material handling equipment needs. They are designed to provide excellent wear and energy efficiency. Our innovative process permanently bonds rubber to the rim for long lasting performance.


Trelleborg Press-On tires are available in traction and smooth profiles.

The **Traction** profile offers long wear and distributes the load for excellent stability.

The **Smooth** profile has an average 13% greater footprint than a standard press-on tire. The larger footprint provides a more comfortable tire and improves performance and traction.



AVAILABLE ADDITIONAL COMPOUNDS

 EXTRA MILE NON MARKING	White compound eliminating black tire marks on any surface. High performance tire.
SPECIAL COMPOUNDS	Our compounding expertise allows us to offer a wide range of compounds. Please contact us for more details

Other sizes are available, consult your Trelleborg sales representative for the full list.

Tire Size (in)	Tire Size (Metric)	Profile	Load Capacity (Forklift Truck)			
			Load Wheel 10 (kg)	Steer Wheel 10 (kg)	Load Wheel 16 (kg)	Steer Wheel 16 (kg)
9 x 5 x 5	229 x 127 x 127	FL	960	790	855	720
10 x 4 x 6 ¼	254 x 102 x 159	FL	780	640	695	585
10 x 4 x 6 ½	254 x 102 x 165	FL	780	640	695	585
10 x 5 x 6 ½	254 x 127 x 165	FL	1,015	835	905	760
10 ½ x 5 x 6 ½	267 x 127 x 165	FL, GL	1,070	880	960	810
13 x 3 ½ x 8	330 x 89 x 203	GL	790	650	700	590
13 x 4 ½ x 8	330 x 114 x 203	FL, GL	1,120	920	1000	840
13 x 5 x 8	330 x 127 x 203	GL	1,290	1,060	1150	965
13 x 5 ½ x 8	343 x 140 x 203	FL, GL	1,510	1,240	1345	1130
13 x 4 ½ x 8	356 x 114 x 203	FL, GL	1,170	960	1045	875
14 x 5 x 10	356 x 127 x 254	FL	1,335	1,100	1200	1000
15 ½ x 5 x 10	394 x 127 x 254	FL, GL	1,470	1,210	1315	1100
16 x 5 x 10 ½	406 x 127 x 267	FL, GL	1,510	1,240	1345	1130
16 x 6 x 10 ½	406 x 152 x 267	FL, GL	1,910	1,570	1710	1435
16 x 7 x 10 ½	406 x 178 x 267	GL	2,325	1,910	2070	1740
15 x 5 x 11 ¼	381 x 127 x 286	FL, GL	1,390	1,140	1240	1040
15 x 6 x 11 ¼	381 x 152 x 286	FL, GL	1,715	1,410	1530	1285

Tire Size	Tire Size	Profile	Load Capacity (Forklift Truck)			
(in)	(Metric)		Load Wheel 10 (kg)	Steer Wheel 10 (kg)	Load Wheel 16 (kg)	Steer Wheel 16 (kg)
16 ¼ x 5 x 11 ¼	413 x 127 x 286	FL, GL	1,530	1,250	1360	1145
16 ¼ x 6 x 11 ¼	413 x 152 x 286	FL, GL	1,920	1,580	1715	1440
16 ¼ x 7 x 11 ¼	413 x 178 x 286	GL	2,325	1,900	2060	1735
17 x 5 x 12 ⅝	432 x 127 x 308	FL, GL	1,570	1,290	1400	1180
17 x 6 x 12 ⅝	432 x 152 x 308	GL	1980	1,630	1770	1485
18 x 5 x 12 ⅝	457 x 127 x 308	FL, GL	1,640	1,350	1470	1230
18 x 6 x 12 ⅝	457 x 152 x 308	FL, GL	2,100	1,720	1870	1575
18 x 7 x 12 ⅝	457 x 178 x 308	FL, GL	2,550	2,100	2280	1910
18 x 8 x 12 ⅝	457 x 203 x 308	FL, GL	3,000	2,475	2680	2250
18 x 9 x 12 ⅝	457 x 229 x 308	FL, GL	3,450	2,850	3090	2600
21 x 7 x 15	533 x 178 x 381	FL, GL	2,875	2,350	2560	2150
21 x 8 x 15	533 x 203 x 381	FL, GL	3,375	2,775	3025	2540
21 x 9 x 15	533 x 229 x 381	FL, GL	3,900	3,200	3475	2920
22 x 7 x 16	559 x 178 x 406	FL, GL	2,975	2,450	2650	2230
22 x 8 x 16	559 x 203 x 406	FL, GL	3,500	2,875	3130	2625
22 x 9 x 16	559 x 229 x 406	FL, GL	4,050	3,325	3600	3025
22 x 10 x 16	559 x 254 x 406	FL, GL	4,575	3,750	4080	3425
22 x 12 x 16	559 x 305 x 406	FL, GL	5,625	4,625	5030	4225
22 x 14 x 16	559 x 356 x 406	FL	6,715	5,515	5995	5035
22 x 16 x 16	559 x 406 x 406	FL	7,765	6,375	6930	5825
26 x 7 x 20	660 x 178 x 508	FL	3,375	2,775	3000	2525
28 x 10 x 22	711 x 254 x 559	FL	5,470	4,495	4885	4100
28 x 12 x 22	711 x 305 x 559	FL, GL	6,750	5,545	6025	5060
28 x 14 x 22	711 x 356 x 559	FL	8,030	6,595	7170	6020
28 x 16 x 22	711 x 406 x 559	FL	9280	7,625	8290	6960
40 x 12 x 30	1023 x 305 x 762	FL	8,760	7,165	7620	6255
40 x 14 x 30	1023 x 356 x 762	FL	10,605	8,675	9230	7575
40 x 16 x 30	1023 x 406 x 762	FL	12,420	10,160	10805	8870
40 x 20x 30	1023 x 506 x 762	FL	16,120	13,190	14025	11515



Trelleborg is a world leader in engineered polymer solutions that seal, damp and protect critical applications in demanding environments. Our innovative engineered solutions accelerate performance for customers in a sustainable way. The Trelleborg Group has local presence in over 40 countries around the world.